Accessories
for oil pumps



Art. **38046**
Bung adaptor
ø 32 mm, with double body for pumps with suction tube, series 500

Art. **33434**
Bung adaptor
ø 34 mm, with double body for pumps with suction tube, series 600

Art. **38042**
Bung adaptor
ø 42 mm, with double body for pumps with suction tube, series 600 e 650

Art. **38044**
Bung adaptor
ø 38 mm, with double body for pumps manual double acting oil pumps



Art. **38051**
Bung adaptor
ø 50 mm, for pumps with suction tube, series 500

Art. **10/14**
Bung adaptor
ø 45 mm for industrial pumps with suction tube, series 900 e 1200

Art. **10/15**
Bung adaptor
ø 53 mm for industrial pumps with suction tube, series 900 e 1200



Art. **38047**
Wall bracket ø 32 mm
with double body for wall-mounting of pumps, series 500

Art. **38043**
Wall bracket ø 42 mm
with double body for wall-mounting of pumps, series 600 and 650



Art. **38052**
Wall bracket ø 50 mm
with clamping system with screw for wall-mounting of pumps, series 500



Art. **33115**
Wall bracket in steel
for wall-mounting of transfer pumps, series 600 and 650



Art. **33590**
Wall bracket in painted steel for wall-mounting of diaphragm pumps 1/2” and 3/4”

Art. **33591**
Wall bracket in painted steel for wall-mounting of diaphragm pumps 1” and 1.1/4”



Art. **10/10**
Wall bracket in painted steel for wall-mounting of integral and flanged industrial pumps, series 900 and 1200



Art. **10/11**
Wall bracket in painted steel
with dampers for wall-mounting of integral and flanged industrial pumps, series 900 and 1200

Accessories
for oil pumps

Drum cover with 2” F union suitable for standard bung adaptor

Art. **65160** **Drum cover ø 600 mm** (drums ø external 550 - 600 mm)
Art. **65142** **Drum cover ø 420 mm** (drums ø external 370 - 420 mm)
Art. **65138** **Drum cover ø 385 mm** (drums ø external 340 - 385 mm)



Art. **88630**
Modular drip-tray.
Equipped with hook for gun and removable drip-tray. Applied under the hose reel, it is a handy holder for the delivery gun. Essential for a clean and orderly workplace



*

Art. **33126**
Female quick connector
- thread **F 3/4”G**
- high pressure 250 bar

Art. **33127**
Male quick connector
- thread **F 3/4”G**
- high pressure 250 bar

* articles not manufactured by us

*

Art. **38069**
90° union
- 3/4” G - F/M

Art. **38070**
90° union
- 1/2” G - F/M

* articles not manufactured by us

*

Art. **33106**	**Nipple** M 3/4”NPT x F 3/4”G	
Art. **33107**	**Nipple** M 3/4”G x F 1”NPT	
Art. **33108**	**Nipple** M 1”G x F 3/4”NPT	
Art. **33109**	**Nipple** M 1”G x F 1”NPT	
Art. **38075**	**Nipple** M 1/2”G x F 1/2”NPT	
Art. **38076**	**Nipple** M 1/2”NPT x F 1/2”G	
Art. **38077**	**Nipple** M 3/8”NPT x F 3/8”G	
Art. **38078**	**Nipple** M 3/8”G x F 3/8”NPT	
Art. **38079**	**Nipple** M 1/2”NPT x M 3/8”NPT	
Art. **33111**	**Nipple** M 1.1/4”G x F 1.1/4”NPT	
Art. **33112**	**Nipple** M 3/4”G x F 3/4”NPT	
Art. **33113**	**Nipple** M 1/2”G x F 3/4”NPT	

* articles not manufactured by us

Art. **38071**	**Nipple** M 1/2”G x M 1/2”G	●●
Art. **38072**	**Nipple** M 1/2”G x M 3/8”G	●
Art. **38073**	**Nipple** M 3/8”G x M 3/8”G	●●
Art. **33114**	**Nipple** M 1”G x M 1/2”G	●
Art. **33116**	**Nipple** M 1”G x M 1”G	●
Art. **33117**	**Nipple** M 3/4”G x M 3/4”G	●
Art. **33118**	**Nipple** M 1/2”G x M 3/4”G	●
Art. **33119**	**Nipple** M 1”G x M 3/4”G	●
Art. **33275**	**Nipple** M 1/2”G x F 3/4”G	●
Art. **33276**	**Nipple** M 3/4”G x F 1”G	●
Art. **33277**	**Nipple** M 3/4”G x F 1/2”G	●

●● tapared/cylindrical thread
● cylindrical/cylindrical thread

Accessories **4-way evacuation valve and flow regulator chamber**

The 4-way evacuation valve is used for extraction and discharge of waste oil fluid hydraulic gear and engine oil and antifreeze



Art. **38130**
4-way evacuation valve with connection **F 3/4"G**

Art. **38131**
4-way evacuation valve with connection **F 1"G**

Art. **38132**
4-way evacuation valve with connection **F 1.1/2"G**



Article	Seals	Connection	Pressure	Weight
38130	Viton	F 3/4"	14 bar	3 Kg
38131	Viton	F 1"	14 bar	3 Kg
38132	Viton	F 1.1/2"	14 bar	3 Kg

Art. **38097**
Flow regulator chamber F 3/4" x F 3/4" equipped with:
- one-way valve eliminates sudden pressure changes, ensuring a regular flow
- suitable for R 1:1 - 3:1 - 5:1 pumps
- max pressure 100 bar

Art. **38098**
Flow regulator chamber F 3/4" x F 3/4" with air tank equipped with:
- one-way valve eliminates sudden pressure changes, ensuring a regular flow
- suitable for pumps till R 20:1
- max pressure 100 bar



For best performance (Art. 38098) the pressure in the air reservoir must be equal to pump air feeding pressure

Pressure trend of oil pump outlet



with pump R 3:1 - 8 bar
- without chamber Art. 38097
- with chamber Art. 38097



with pump R 3:1 - 8 bar
- without chamber Art. 38098
- with chamber Art. 38098

Accessories
for oil pumps

Art. **38210**
Ball cock F 1/2" x F 1/2"
total passage for system
- max pressure 70 bar

Art. **38211**
Ball cock F 1" x F 1"
total passage for system
- max pressure 70 bar

* articles not manufactured by us

Art. **38095**
"Y" filter in line F/F 1/2" for fitting on the outlet of pumps for oil and allied products, max pressure 100 bar

Art. **38096**
"Y" filter in line F/F 1" for fitting on the outlet of pumps for oil and allied products, max pressure 100 bar

* articles not manufactured by us

Art. **38099**
System overpressure control valve
- F 1/2" x F 1/2"
- Calibration 5 - 50 bar

Art. **38100**
System overpressure control valve
- F 3/4" x F 3/4"
- Calibration 5 - 50 bar

* articles not manufactured by us

Art. **37812**
Pressure regulator
with condensate discharge filter, lubricator, pressure gauge and inlet-outlet connections F/F 1/4"

Art. **37817**
Pressure regulator
with condensate discharge filter, lubricator, pressure gauge and inlet-outlet connections F/F 1/2"

* articles not manufactured by us

Art. **38091**
Check valve
with connection for flexible hose 1.1/4"
- thread 1"G - M to be fitted on the draining cock of tanks

Art. **38080**
Hose holder ø 1.1/4" with **M 3/4" inlet connection**

Art. **38081**
Hose holder ø 1.1/4" with **M 1" inlet connection**

Art. **38082**
Hose holder ø 1.1/4" with **M 1.1/4" inlet connection**

Art. **38083**
Stainless steel hose holder ø 3/4" with **M 1" inlet connection**

Art. **38026**
Flexible suction tube ø 1.1/4" - 30 mm
- length 2 m for wall-mounted pumps

Art. **38028**
Flexible suction tube ø 1.1/4" - 30 mm
- length 1 m for wall-mounted pumps

Art. **33426**
Flexible suction tube ø 3/4"
- length 2 m for wall-mounted s/steel pumps

Art. **993.201**	**Hose** M 1/4" x F 1/4" - 1 m - 20 bar
Art. **993.202**	**Hose** M 1/4" x F 1/4" - 2 m - 20 bar
Art. **996.301**	**Hose** M 1/2" x F 1/2" - 1 m - 150 bar
Art. **996.302**	**Hose** F 1/2" x F 1/2" - 2 m - 150 bar
Art. **996.304**	**Hose** M 1/2" x F 1/2" - 4 m - 150 bar
Art. **997.505**	**Hose** M 3/4" x F 3/4" - 5 m - 150 bar
Art. **998.501**	**Hose** M 1" x F 1" - 1 m - 150 bar
Art. **998.502**	**Hose** M 1" x F 1" - 2 m - 150 bar

Accessories
for oil pumps

Art. **38056**
Flexible and rigid suction tube for wall mounted pump series 500 - 600 - 650 - 900 equipped with:
- Art. **38026** flexible suction tube 2 m - ø 1.1/4”
- Art. **38027** rigid suction tube 940 mm
- Art. **38042** bung adaptor

Art. **38057**
Flexible and rigid suction tube for wall mounted pump series 500 - 600 - 650 - 900 equipped with:
- Art. **38026** flexible suction tube 2 m - ø 1.1/4”
- Art. **38055** rigid suction tube 1260 mm
- Art. **33434** bung adaptor



Art. **33583**
Flexible and rigid suction tube for wall mounted diaphragm pump equipped with:
- Art. **38026** flexible suction tube 2 m - ø 1.1/4”
- Art. **33581** rigid suction tube 940 mm - ø 1.1/4
- Art. **33434** bung adaptor

Art. **33585**
Flexible and rigid suction tube for wall mounted diaphragm pump equipped with:
- Art. **38026** flexible suction tube da 2 m - ø 1.1/4”
- Art. **33582** rigid suction tube 1240 mm
- Art. **33434** bung adaptor





Art. **33424**
Flexible and rigid suction tube for wall mounted pump series 600 INOX equipped with:
- Art. **33426** flexible suction tube 2 m - ø 3/4”
- Art. **33427** stainless steel suction tube 940 mm - ø 3/4”
- Art. **33434** bung adaptor

Art. **33425**
Flexible and rigid suction tube for wall mounted pump series 600 INOX equipped with:
- Art. **33426** flexible suction tube 2 m - ø 3/4”
- Art. **33428** stainless steel suction tube 1260 mm - ø 34”
- Art. **33434** bung adaptor



Accessories
extensions 1” thread

Art. **38092**
Top connector - filetto F 1” x F 1”
allows to connect pump M 1” thread with
extensions M 1” thread

Art. **10/21**
Extension ø 34 - thread M 1”G x M 1”G - 460 mm
- suitable for modular and extendable pumps with F 1” connection

Art. **10/22**
Extension ø 34 - thread M 1”G x M 1”G - 660 mm
- suitable for modular and extendable pumps with F 1” connection

Art. **10/23**
Extension ø 34 - thread M 1”G x M 1”G - 960 mm
- suitable for modular and extendable pumps with F 1”connection

Art. **10/24**
Extension ø 34 - thread M 1”G x M 1”G - 1260 mm
- suitable for modular and extendable pumps with F 1” connection

Art. **10/25**
Extension ø 34 - thread M 1”G x M 1”G - 1460 mm
- suitable for modular and extendable pumps with F 1” connection



Art. **38090**
Foot valve with air eliminator - F 1” thread
suitable to fit ø 34 extensions M 1”G thread

Art. **10/20**
Foot valve with filter - F 1” thread
suitable to fit ø 34 extensions M 1”G thread

Extendable pumps suction tube 1”



Obtain a water pipe (normally available on the market) ø 1” and thickness 2,5 mm



Cutting the length suitable for the container



Thread the 2 ends with 1” gas Male



Screw the threaded pipe between the pump and the foot valve (Art. 10/20)

Note: apply a sealant to prevent air infiltration in the pumping phase or oil leaks during stops

Accessories
extensions for customising pumps

Art. **38084**
Top connector F 1”
for connection between pump and extension

Art. **38085**
Extension ø 32 mm
- 500 mm

Art. **38086**
Connector to joint together
to extensions

Art. **38087**
Extension ø 32 mm
- 200 mm

Art. **38088**
Foot valve
complete with union and filter





Art. **38089**
Differentiated union with valve for suction tubes ø 42 mm with the foot valve removed it enables connection between the suction tube and the modular extensions

Art. **38093**
Union for foot valve
it connects the modular extension, added to the suction tube, to the previously removed foot valve

Suction tube botton connections

Extension of the rigid suction tube for adapting to tank depth





for trolleys
see page 130