EN

Special Bike Tools Catalogue

Beta has always been closely connected with the cycling world; our history winds along fabulous roads in one of the most cycling-oriented areas. Our company was first established in Erba, where the Colle del Ghisallo downhill road ends. The Madonna del Ghisallo is the Tour of Lombardy's crucial climb. **The Madonna del Ghisallo Sanctuary and the Cycling Museum** the world's best known and busiest destinations for cyclists.

Cycling Museum

Madonna del Ghisallo Sanctuary

The **Agostoni Cup**, the most important race of Trittico Lombardo, has been held on the roads around our current headquarters in Sovico for over 70 years, the greatest champions having crossed the finishing line first.

Agostoni Cup Finish – Lissone

We also have special consideration for the women's world; we are a proud sponsor of the **Giro Rosa**, which honoured us by starting in our plant in Sovico in summer 2018.

Giro Rosa Start - Sovico

We partner UAE Team Emirates, which is led by the General Manager, Giuseppe Saronni, and competes at UCI World Tour level.

Valerio Conti, Maglia Rosa

A UAE mechanic at work

80°

Beta

For over **80 years** we have been Italy's leader in the design and production of professional working tools and instruments. We have **over 600 staff**, men and women employed in **3 factories** in Italy and in the branches in Europe, Asia and South America. We rely on a distribution network boasting no less than **8 commercial branches**, self-owned logistic facilities and over 200 distributors, to be active in the international market, thereby reaching professional users worldwide every day. Beta Utensili's catalogue comprises **28 product families** and over **12,000 coded items.**

28 FAMILIES

Each professional need finds an effective solution.

12.000 ITEMS

Beta produces tools for professional mechanics, from industrial maintenance to car repairs, and for all those whose hobbies are much more than a simple pastime.

3 FACTORIES

Sovico (Monza Brianza)

Castiglione d'Adda (Lodi)

Sulmona (L'Aquila)

600 STAFF

8 SUBSIDIARIES

Active in over 100 countries worldwide

Beta's far-reaching distribution network serves professional users across the world.

WWW.BETA-TOOLS.COM

An "easy" and complete website where you can find our updated catalogues, latest news, promotions and all our technical product information (manuals, spare parts and demo videos, which can also be found on YouTube)

A specific app of all the Beta catalogues for IOS and Android.

Beta bike tools

This “Special on Bicycle Tools”, which is meant for cycling professionals, contains an accurate selection of bicycle maintenance tools, selected from Beta’s comprehensive catalogue.
As well as special products, it features three main sections, dealing with general garage tools, garage equipment combinations, technical wear and bicycles under the brand name Beta respectively.

FRAME	7÷12
CENTRAL MOVEMENT	12÷15
BRAKES	16
WHEELS	17÷23
TRANSMISSION	24÷25
WRENCHES	27÷28, 30
SCREWDRIVERS, MALE-END	28÷31
WRENCHES AND BITS	37÷39
SOCKETS AND ACCESSORIES	31÷33
TORQUE WRENCHES	33÷34
PLIERS AND NIPPERS	34÷36
HAMMERS	39÷40
MEASURING TOOLS	40÷41
GENERAL MAINTENANCE TOOLS	41÷45
CONTAINERS AND ASSORTMENTS	47÷51
WORKSHOP EQUIPMENT	52÷55

ALPHANUMERIC INDEX

1	🕮
111	27
111G	27
142	28
142/B6	28
142/SC9I	28
1009L/A	35
1032	35
1034	35
1036	35
1038	35
1047	34
1048	34
1081	36
1084	36
1128BCX	37
1136	36
1150	35
1166	36
1168	36
1201	37
1201N	37
1202	37
1202N	37
1203/D7	37
1207TX	38
1207TX/D7	38
1256/C36-2	39
1260	38
1260N	38
1262	38
1262N	38
1263/D8	38
1266BP	39
1266BP/S8	39
1370	39
1370T	39
1390	39
1390R	40
1458	34
1599F	42
1650	40
1651DGT	40
1692	40
1695XS	40
1696	40
1696B	41
1716A	43
1716P	43
1716Q	43
1716R	43
1716U	43
1719BMA...M	41
1719BMA...Q	41
1719BMA...R	42
1719BMA6/S5	42
1719BMA...T	41
1719BMA...P	41
1719BMA8/S5	42
1726	42
1728BM	42
1737NX	41
1762	41
1767PMC	41
1771	42
1772R	42
1838/11LED	44
1838COB	44
1838FLASH	43
1895	44
2	
2028/VV	47
2029/VV	47
2250-O	45
3	
334	36
334R	37
3912P	8
3912T	7
3916MM	9
3921	10
3923	10
3927	8
3932U	24
3935	24
3937	25
3948	13
3952	11
3952/S7	11
3953	13
3955	12
3961 3,2	17
3961 3,3	17
3961 3,5	17
3961U	18
3962MV	18
3962SH	18
3963P	19
3964	19
3965	20
3965C	20
3967	21
3969	21
3969K3	21
3971	14
3972	14
3973/1	15
3973/2	15
3973/3	15
3973/4	15
3973PF	14
3975	12
3984/1	22
3984/2	22
3984/3	22
3984/4	23
3984/5	23
3984/6	23
3991	16
3992	16
4	
42	27
42/B9	27
42/S17	27
42/SC9I	27
42/SP15	27
5	
55/B8	27
5980U/BIKE	51
6	
605E	33
666N	34
8	
860/C27	31
9	
96	28
96/BG7	28
96/BGS7	28
96/SC9	28
96/SC12	28
96BPC	29
96BPC/SC9	29
96T	29
96T/S6	29
96T/S11	29
96T/SP11	29
96TBP	29
96TBP/S6	29
97TX	30
97TX/SC8	30
97TTX	30
97TTX/S6	30
97TTX/S8	30
900ME/SB8	31
900TX/SB8	32
900/21	31
900/25	31
900/42	31
900/55	31
900/C39	32
900/SB13	31
910A/C16	32
920A/C20X	33
920A/SB8	33
920A/SB13	33
920/22	32
920/25	32
920/42	33
920/55	33
941	30
941/S7	30
C	
C13	47
C20L	47
CP17	47
C24S/5	49
C24S/6	49
C24S/7	49
C24S/8	49
C24SL	49
C41H	48
C41S	48
C55	54
C55AB	55
C55PB/3	55
C57SA	50
C57SB	50
C57SP	51

DEDICATED BIKE TOOLS

3912T

MADE IN ITALY

TOP WORKSHOP WORKBENCH FOR BICYCLE MAINTENANCE

- With support for central movement
- Tool drawer
- Bicycle can be fixed without rear wheel
- Supports specially designed for BMX bicycles



H mm	L mm	L1 mm	H1 mm	kg	
1010	910	580	610	47	039120010

- Professional workbench for bicycle assembly and maintenance.
- Allows you to work with both installed and removed wheels.
- Its weight (47 kg) provides both stability and sturdiness.

Stable, secure top for central movement.

Tool drawer allows you to always have everything within reach.

3912P

MADE IN ITALY

PRO WORKSHOP WORKBENCH FOR BICYCLE MAINTENANCE

- With support for central movement
- Bicycle can be fixed without rear wheel
- Supports specially designed for BMX bicycles



H mm	L mm	L1 mm	H1 mm	kg	
1000	785	455	590	21	039120110

- Stable, secure workbench for bicycle assembly and maintenance.
- Allows you to work with both installed and removed wheels.

3927

MADE IN ITALY

HANDLEBAR CLAMP

- A must-have tool for maintenance jobs on stands without fork clamps
- Ideal for working with single-sided clamp **3916MM**, it allows you to hold handlebar in upright position, thereby avoiding annoying vibration.

L mm	g	
365	405	039270010

3916MM

MADE IN ITALY

WORKSHOP SINGLE-SIDED CLAMP FOR BICYCLE MAINTENANCE

- Clamp can be rotated 360°
- Plastic tool tray
- Steel plate for unparalleled firmness
- Adjustable height



H mm	Ø mm	L mm	L1 mm	kg	
1230÷1380	45	600	600	29	039160110

- Professional clamp suitable for workshop jobs with limited space available.
- The professional revolving clamp allows **360°** jobs, with safe bicycle rotation.
- The coated clamp jaws allow the clamped surface to be protected.



The large, sturdy, heavy base allows safe jobs, even with E-BIKE.

The tool tray is vertically adjustable.

3921

DERAILLEUR HANGER ALIGNMENT GAUGE

- Adjustable, for wheel 20" ÷ 29"
- A must-have tool for checking derailleur hanger alignment and dealing with gear shifting problems





L mm	A mm	A1 mm	g	
440	115	165	750	039210010

3923

BLADE GUIDE TOOL FOR CUTTING AIRFOIL SHAPED SEATPOSTS UP TO 80 MM AND TUBES 1" ÷ 1.1/2"

- Fixing through knurled clamp

Specifically designed to work on tubes and seatposts, including built-in and airfoil-shaped ones.



L mm	A1 max mm	Ø max mm	A mm	g	
160	80	45	77,5	485	039230010

3952 MADE IN ITALY

SIMPLE CONE WRENCH, CHROME-PLATED

- Reduced thickness

Chromium-plated finish, reduced thickness (2 mm) and PVC handle coating allow the key to be used for a variety of bicycle maintenance purposes.

mm	L mm	S mm	A mm	g	
13	205	2	42,5	76	039520013
14	205	2	43,5	76	039520014
15	205	2	44,5	78	039520015
16	205	2	45,5	78	039520016
17	205	2	46,5	78	039520017
18	205	2	47,5	78	039520018
19	205	2	48,5	79	039520019
20	205	2	49,5	82	039520020
21	205	2	49,5	82	039520021
22	205	2	50,5	82	039520022
24	205	2	51,5	84	039520024



3952/S7 MADE IN ITALY

SET OF 7 SIMPLE CONE WRENCHES

13-14-15-16-17-18-19 mm

g	
450	039520207

3955

MADE IN ITALY

OPEN END WRENCHES FOR UNIVERSAL HEADSETS, CHROME-PLATED

- Reduced thickness

Heat treatment and chromium-plated finish translate into remarkable durability, even in case of heavy-duty use.



mm	L mm	A mm	A1 mm	S mm	g	
30x32	292	63,5	67,5	4	278	039550108
32x36	319	63,5	76,0	4	330	039550114

3975

BEARING CUP PRESS

- For headset cup assembly, compatible with headset cups 1", 1.1/8", 1.1/4", 1.1/2" and 2"

Do not use with "zero stack" tubes

L mm	Ø mm	Ø1 "	Ø2 "	Ø3 "	Ø4 "	Ø5 "	kg	
360	16x1	1	1.1/8	1.1/4	1.1/2	2	2,7	039750010

3948

CRANK EXTRACTOR

- For 14 mm nuts
- Beta's crank extractor with interchangeable adapter can be used for square and grooved pins



mm	L mm	Ø mm	mm	g	
14	79	20	15	114	039480015

3953

MADE IN ITALY

PEDAL WRENCH, CHROME-PLATED

- Reduced thickness
- PVC handle



Its length (400 mm) and dedicated heat treatment allow intensive, prolonged use.

mm	L mm	S mm	A mm	g	
15	401	4	50,5	378	039530015

3971

WRENCH FOR SHIMANO® PLASTIC BOLTS

- For installing and removing 8-notch counterbalance cap of Shimano® Hollowtech II cranksets
- Can also be used with 8 mm hexagon key wrench for increased force



N°	⬢ mm	Ø mm	S mm	g	
8	8	38,8	25	68	039710010

3972

BOTTOM BRACKET REMOVAL WRENCH

- Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®
- 2PVC handle



L mm	A mm	S mm	g	
252	78	4	267	039720010

3973PF

PRESS-FIT BEARING REMOVAL TOOL

- Suitable for inside Ø 24 mm and 30 mm



L mm	Ø mm	g	
240	21,5	227	039730001

3973/1 1/2"

16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- **Suitable for Shimano® XTR BB93, Dura-Ace® BB9000**
- The 1/2" square drive and the 24 mm hexagon drive provide different solutions for use



A1 mm	⬢ mm	L mm	g	
12	24	34	115	039730010

3973/2 1/2"

16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- **Suitable for Shimano® BBR60 (Ultegra® 11 speeds)**
- The 1/2" square drive and the 24 mm hexagon drive provide different solutions for use



A1 mm	⬢ mm	L mm	g	
13,5	24	35	114	039730020

3973/3 1/2"

16-NOTCH BOTTOM BRACKET REMOVAL SOCKET

- **Suitable for Shimano® Hollowtech II, Campagnolo® Ultra-torque, FSA®, SRAM®**
- The 1/2" square drive and the 24 mm hexagon drive provide different solutions for use



A1 mm	⬢ mm	L mm	g	
15,3	24	53,5	220	039730030

3973/4 1/2"

20-NOTCH BOTTOM BRACKET REMOVAL SOCKET WITH CENTRAL PIN, NICKEL-PLATED

- **Suitable for Shimano® and ISIS**
- The 1/2" square drive and the 24 mm hexagon drive provide different solutions for use



A1 mm	⬢ mm	L mm	g	
30	24	55	164	039730040

3991

MADE IN ITALY

LEVER FOR PUSHING BACK DISC BRAKE PADS, CHROME-PLATED

- 2PVC handle
- The flat, chromium-plated surface prevents brake pistons from getting damaged

L mm	A mm	α	S mm	g	
222	36	7°	4	200	039910010



3992

DISC BRAKE STRAIGHTENER, CHROME-PLATED

- 2PVC handle
- The different grooves, with different angles, allow you to work in any situation, including the toughest ones

L mm	S mm	A mm	A1 mm	g	
234	4	55	2,2	249	039920010



3961 3,2

SPOKE WRENCH, BLACK, 3.2 mm

- Coloured band for ease of identification
- The different colour allows quick, accurate size identification



□ mm	L mm	A mm	g	
3,2	57	40	20	039610032

3961 3,3

SPOKE WRENCH, GREEN, 3.3 mm

- Coloured band for ease of identification
- The different colour allows quick, accurate size identification



□ mm	L mm	A mm	g	
3,3	57	40	20	039610033

3961 3,5

SPOKE WRENCH, RED, 3.5 mm

- Coloured band for ease of identification
- The different colour allows quick, accurate size identification



□ mm	L mm	A mm	g	
3,5	57	40	20	039610035

3961U

PROFESSIONAL SPOKE WRENCH, 3.2 - 4.0 mm

- Ergonomic rubber handle
- Allows most used sizes to be always at reach

□ mm	g	
3,2 - 4,0	40	039610100

3962SH

DOUBLE SPOKE WRENCH FOR SHIMANO®



L mm	A1 mm	A2 mm	g	
132	4,3	4,4	58	039620010

3962MV

DOUBLE SPOKE WRENCH FOR MAVIC®



L mm	A1 mm	A2 mm	g	
135	4,3	8,4	60	039620020

3963P

SPECIAL WRENCH FOR FLAT SPOKES

- Useful for installing flat spoke wheels.
- 6 different openings hold a wide range of flat spokes, preventing them from twisting



L mm	S mm	A1 mm	A2 mm	g	
129	15,5	2,2	2,5	31	039630010

3964

SPECIAL NIPPLE DRIVER

- Allows nipples to be screwed while wheel spokes are being installed
- With rotating handle for unparalleled operating comfort



Supplied with a spare spring in handle

L mm	L1 mm	g	
170	89	40	039640010

3965

WHEEL ALIGNMENT GAUGE, Ø 20" ÷ 29"

- Suitable for working on road, mountain bike and BMX wheels
- Can also be used with installed tyres
- Sliding pin

L mm	g	
680	550	039650010

3965C

PROFESSIONAL WHEEL TRUING STAND

- Can be fixed onto both a workbench, with supplied clamps, and into a vice
- For ø 20" ÷ 29" (29" without tyre)
- Through axle hub adapter, 10 ÷ 20 mm
- Can be used with hub spacings ranging from 85 mm to 195 mm

Supplied plates allow secure, stable fixing to workbenches



L mm	L1 mm	A mm	kg	
500	380	285	7,3	039650110

3967

MADE IN ITALY

SPROCKET REMOVAL WRENCH WITH CHAIN WHIP

- Caters for up to 11 speed cassettes
- 2PVC handle

Also suitable for fixed bicycles



L mm	S mm	g	
289	4	245	039670010

3969

STEEL TYRE LEVER

- 200 mm long
- Orange handle
- Suitable for heavy duty jobs

L mm	A mm	g	
200	15,6	79	039690010



3969K3

KIT WITH 3 TYRE LEVERS, MADE OF PLASTIC

- Suitable for both amateurs during their rides and mechanics in the workshop

L mm	g	
113	30	039690130

3984/1

BMX FREEWHEEL REMOVAL WRENCH, 4 GRAFTS, NICKEL-PLATED



L mm	⬢ mm	g	
25,5	24	78	039840010

3984/2

SHIMANO® FREEWHEEL REMOVAL WRENCH



L mm	⬢ mm	g	
26	24	28	039840020

3984/3 1/2"

SHIMANO® FREEWHEEL REMOVAL WRENCH, CASSETTE WITH PIN GUIDE, NICKEL-PLATED





L mm	L1 mm	⬢ mm	g	
65	25	24	74	039840030

3984/4

CAMPAGNOLO FREEWHEEL REMOVAL WRENCH, WITH GUIDE PIN, PHOSPHATIZED



L mm	L1 mm	⬢ mm	g	
51	13	24	49	039840040

3984/5 1/2"

FREEWHEEL REMOVAL WRENCH, 2 GRAFTS

- For SunTour wheels
- The 1/2" square drive and the 24 mm hexagon drive provide different solutions for use



L mm	⬢ mm	g	
38	21	68	039840050

3984/6 1/2"

FREEWHEEL REMOVAL WRENCH, 4 GRAFTS

- For SunTour wheels
- The 1/2" square drive and the 21 mm hexagon drive provide different solutions for use.



L mm	⬢ mm	g	
36	21	64	039840060

3932U

PROFESSIONAL CHAIN TOOL COMPATIBLE WITH CHAINS FROM 5 TO 11 SPEEDS



L mm	L1 mm	g	
164	115	210	039320011

3935

CHAIN WEAR INDICATOR

- Suitable for checking chain elongation with "passes/does not pass" system
- 0% ÷ 0.75%: chain does not need to be replaced
- 0.8% ÷ 1%: chain needs to be replaced

- **A worn chain makes poor shifting and accelerates sprocket wear**
- **Poor chain maintenance can cause sudden breakage**

Beta's gauge is designed to immediately indicate wear and whether the chain has been subjected to such elongation as to require replacement.



L mm	A mm	A1 mm	S mm	g	
120	48	32	1,9	31	039350010

3937

MISSING LINK PLIERS

- 2PVC handle
- Useful for removing and installing missing link

Dirt and corrosion may make it difficult to remove the chain. Pliers 3937 deal with the problem simply and promptly.



L mm	A mm	A1 mm	g	
170	59	29	153	039370010

GENERAL MANTEINACE TOOLS

42

COMBINATION WRENCHES, OPEN AND OFFSET RING ENDS

DIN 3113 UNI-ISO 7738

mm	L mm	
6x6	95	000420006
7x7	105	000420007
8x8	116	000420008
9x9	127	000420009
10x10	137	000420010
11x11	148	000420011
12x12	158	000420012
13x13	169	000420013
14x14	180	000420014
15x15	190	000420015
16x16	201	000420016
17x17	212	000420017
18x18	222	000420018
19x19	233	000420019
20x20	243	000420020
21x21	254	000420021
22x22	264	000420022
24x24	275	000420024

42/B9

6-7-8-10-11-13-14-17-19 mm

737 g | 000420064

42/S17

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm

1,6 kg | 000420065

42/SP15

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm

2,1 kg | 000420078

42/SC9I

8-10-11-12-13-14-15-17-19 mm

950 g | 000420087

55/B8

6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm

800 g | 000550158

111

ADJUSTABLE WRENCHES WITH SCALES, CHROME-PLATED

- Movable jaw opening with right-hand rotation of pin
- Head angled at 22.5 degrees, with mm and inch scale

DIN 3117 ISO 6787

L mm	L "	A max mm	
100	4	15	001110010
150	6	24	001110015
200	8	28	001110020
250	10	34	001110025
300	12	35	001110030

111G

ADJUSTABLE WRENCHES WITH SCALES CHROME-PLATED

- Movable jaw opening with right-hand rotation of pin
- Ergonomic handle
- mm and inch scale

DIN 3117 ISO 6787

L mm	L "	A max mm	
200	8	28	001110620
250	10	34	001110625

142

REVERSIBLE RATCHETING COMBINATION WRENCHES

mm	L mm	
6x6	136	001420006
7x7	136	001420007
8x8	136	001420008
9x9	143	001420009
10x10	159	001420010
11x11	168	001420011
12x12	174	001420012
13x13	180	001420013
14x14	190	001420014
15x15	200	001420015
16x16	216	001420016
17x17	233	001420017
18x18	239	001420018
19x19	248	001420019
21x21	285	001420021
22x22	285	001420022
24x24	325	001420024

142/B6

8-10-13-14-17-19 mm

800 g | 001420066

142/SC9I

8-10-11-12-13-14-15-17-19 mm

950 g | 001420087

96

OFFSET HEXAGON KEY WRENCHES CHROME-PLATED

ISO 2936

mm	L mm	L1 mm	
0,9	35	8	000960013
1,3	39	10	000960014
1,5	45	15	000960015
2	50	17	000960020
2,5	57	20	000960025
3	64	22	000960030
3,5	68	25	000960035
4	72	28	000960040
4,5	78	30	000960045
5	83	32	000960050
5,5	88	35	000960055
6	94	37	000960060
7	99	40	000960070
8	105	43	000960080
9	111	46	000960090
10	119	49	000960100
11	126	52	000960110
12	134	56	000960120
13	142	62	000960130
14	151	69	000960140
16	165	75	000960160
17	174	79	000960170

96/BGS7

1,5-2-2,5-3-4-5-6 mm

150 g | 000960367

96/BG7

2,5-3-4-5-6-8-10 mm

290 g | 000960368

96/SC9

1,5-2-2,5-3-4-5-6-8-10 mm

300 g | 000960374

96/SC12

2-2,5-3-3,5-4-4,5-5-6-7-8-9-10 mm

440 g | 000960395

96BPC

BALL HEAD OFFSET HEXAGON KEY WRENCHES CHROME-PLATED



mm	L mm	L1 mm	
1,5	79	13	000960340
2	84	15	000960341
2,5	89	17	000960342
3	99	19	000960343
4	108	24	000960344
5	126	27	000960345
6	148	31	000960346
7	157	33	000960353
8	168	35	000960347
10	187	39	000960348
12	220	55	000960352

96BPC/SC9

1,5-2-2,5-3-4-5-6-8-10 mm

400 g | 000960354

96TBP

BALL HEAD OFFSET HEXAGON KEY WRENCHES WITH HIGH TORQUE HANDLES



mm	L mm	L1 mm	
2,5	153	55	000960685
3	153	55	000960686
4	179	70	000960687
5	200	84	000960688
6	221	103	000960689
8	255	117	000960690
10	285	132	000960692

96TBP/S6

2,5-3-4-5-6-8 mm

525 g | 000960694

96T

OFFSET HEXAGON KEY WRENCHES, WITH HIGH TORQUE HANDLES



mm	L mm	L1 mm	
2	139	52	000960934
2,5	153	55	000960935
3	153	55	000960936
3,5	179	70	000960937
4	179	70	000960938
4,5	200	84	000960939
5	200	84	000960940
6	221	103	000960941
7	236	106	000960942
8	255	117	000960943
10	285	132	000960945

96T/S6

2-2,5-3-4-5-6 mm

500 g | 000960952

96T/S11

2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

1,1 kg | 000960951

96T/SP11

2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm

1,5 kg | 000960957

97TX

OFFSET KEY WRENCHES, FOR TORX® HEAD SCREWS

	L mm	L1 mm		
T6	42	16	000970006	
T7	48	16	000970007	
T8	48	16	000970008	
T9	48	16	000970009	
T10	51	17	000970010	
T15	54	18	000970015	
T20	57	19	000970020	
T25	60	20	000970025	
T27	64	21	000970027	
T30	70	24	000970030	
T40	76	26	000970040	

97TX/SC8

T9-T10-T15-T20-T25-T27-T30-T40

120 g	000970064	

97TTX

OFFSET KEY WRENCHES WITH HANDLES FOR TORX® HEAD SCREWS



	L mm	L1 mm		
T6	130	52	000970706	
T7	130	52	000970707	
T8	139	52	000970708	
T9	139	52	000970709	
T10	179	70	000970710	
T15	179	70	000970715	
T20	179	70	000970720	
T25	179	70	000970725	
T27	200	84	000970727	
T30	200	84	000970730	
T40	221	103	000970740	

97TTX/S6

T10-T15-T20-T25-T30-T40

380 g	000970791	

97TTX/S8

T8-T10-T15-T20-T25-T27-T30-T40

500 g	000970808	

941

HEXAGON / BI-HEX SOCKET WRENCHES, WITH HIGH TORQUE HANDLES

- deep, hi-torque hexagon nut spinner on long side



mm	L mm	L1 mm	A1 mm		
7x7	200	91	35	009410107	
8x8	220	107	50	009410108	
9x9	220	109	50	009410109	
10x10	236	111	50	009410110	
11x11	236	114	50	009410111	
12x12	255	122	50	009410112	
13x13	255	124	55	009410113	

941/S7

7-8-9-10-11-12-13 mm

1,3 kg	009410170	

860/C27

25 BITS, 1 CONNECTOR AND 1 REVERSIBLE RATCHET

- in plastic case

860/55	100 mm
860LP	0,5x3-1,0x5,5-1,2x6,5 mm
860PH	PH1-PH2(x2)-PH3
860PZ	PZ1-PZ2(x2)-PZ3
860PE	2-2,5-3-4-5-6 mm
860TX	T6-T8-T10-T15-T20-T25-T30-T40
892/0	⬢ 1/4 ■ 1/4

mm	g	
150x95x50	785	008600880

900/21

1/4" FEMALE AND MALE DRIVE EXTENSION BARS

UNI/ISO 3316 DIN 3123

1/4"

L mm	Ø mm	
150	11,5	009000822

900/25

1/4" DRIVE UNIVERSAL JOINT

UNI/ISO 3316 DIN 3123

1/4"

L mm	Ø mm	
41	12,5	009000830

900/42

1/4" DRIVE SLIDING T-HANDLE

UNI/ISO 3315 DIN 3122



1/4"

L mm	A mm	
115	22	009000854

900/55

1/4" DRIVE REVERSIBLE RATCHET, 48 TEETH

UNI/ISO 3315 DIN 3122

48 1/4"

L mm	Ø mm	A mm	
125	25	18	009000870

900/SB13

SET OF 13 HEXAGON HAND SOCKETS, 1/4" FEMALE DRIVE, CHROME-PLATED

1/4"

4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	009000150

900ME/SB8

SET OF 8 SOCKET DRIVERS FOR HEXAGON SCREWS, 1/4" FEMALE DRIVE, CHROME-PLATED

1/4"

2,5-3-4-5-6-7-8-10 mm	009000518

900TX/SB8

SET OF 8 SOCKET DRIVERS FOR TORX® HEAD SCREWS, 1/4" FEMALE DRIVE, ON SUPPORT

1/4"

T9-T10-T15-T20 T25-T27-T30-T40	009000730

900/C39

ASSORTMENT OF 11 HEXAGON SOCKETS, 21 BITS AND 7 ACCESSORIES

- Compact easy to carry
- Complete everything that is required in little space
- Functional inserts easy to take out and put in

1/4" 1/4

900	5-5,5-6-7-8-9-10-11-12-13-14 mm
900/20	50 mm
900/20L	100 mm
900/25	
900BG/30C	
900/55	
892/0	
895/1	1/4" ○ 1/4" □
861LP	0,6x4,5-1,2x6,5-1,2x8 mm
861PH	1-2-3
861PZ	1-2-3
861PE	2,5-3-4-5-6 mm
861RTX	10-15-20-25-27-30-40

mm	g	
150x95x50	785	009000937

910A/C16

ASSORTMENT OF 16 HEXAGON SOCKETS AND 5 ACCESSORIES

3/8"

910A	6-7-8-9-10-11-12-13-14-15-16-17-18-19-21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

mm	kg	
335x145x60	2,3	009100936

920/22

1/2" DRIVE EXTENSION BARS

UNI/ISO 3316 DIN 123

1/2"

L mm	Ø mm	
255	22	009200826

920/25

1/2" DRIVE UNIVERSAL JOINT

UNI/ISO 3316 DIN 123

1/2"

L mm	Ø mm	
75	12,5	009200830

920/42

1/2" DRIVE SLIDING T HANDLE

UNI/ISO 3315 DIN 3122



1/2"

L mm	A mm	
305	42	009200854

920/55

1/2" DRIVE REVERSIBLE RATCHET, 72 TEETH

UNI/ISO 3315 DIN 3122



72 1/2"

L mm	Ø mm	A mm	
275	40	43	009200882

920A/SB13

SET OF 13 HEXAGON HAND SOCKETS, 1/2" FEMALE DRIVE, ON SUPPORT

1/2"

10-11-12-13-14-15-16 17-18-19-20-21-22 mm	009200040

920A/SB8

SET OF 8 HEXAGON HAND SOCKETS, 1/2" FEMALE DRIVE, ON SUPPORT

1/2"

23-24-25-26-27-28-30-32 mm	009200042

920A/C20X

ASSORTMENT OF 20 SOCKETS AND 5 ACCESSORIES

1/2"

	920A	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	
72	920/55	

mm	kg	
420x185x60	5,1	009200950

605E

CLICK-TYPE TORQUE WRENCHES WITH REVERSIBLE RATCHETS

- for right-hand and left-hand tightening torque accuracy: ± 6%

UNI EN 26789 ISO 6789



1/4"

Nm	Kgfm	lbf.in	■	A mm	L mm
1÷5	0,1÷0,5	10÷45	1/4	20	190

	g	
605E/5	180	006050105

Nm	Kgfm	lbf.in	■	A mm	L mm
2÷10	0,2÷1,0	18÷90	1/4	20	190

	g	
605E/10	180	006050110

666N

CLICK-TYPE TORQUE WRENCHES WITH REVERSIBLE RATCHETS

- for right-hand tightening, torque accuracy: ±3%
- scale increased by 60% for improved visibility and setting accuracy
- torque adjusting speed increased by 40%
- handle and lens materials resistant to all chemical substances used in automotive sector, industry and aviation
- red colour of o-ring indicates that wrench is unlocked and torque can be adjusted
- when not in use, set torque to lowest value of torque wrench range

UNI EN 26789 ISO 6789



Nm	Kgfm	lbf.in	■	D mm	A mm	L mm
10÷50	1÷5	7÷37	3/8	30	33	325

	g	
666N/5	660	006660005

Nm	Kgfm	lbf.in	■	D mm	A mm	L mm
20÷100	2÷10	15÷75	3/8	30	33	367

	g	
666N/10	730	006660010

Nm	Kgfm	lbf.in	■	D mm	A mm	L mm
20÷100	2÷10	15÷75	1/2	30	37	367

	g	
666N/10X	800	006660011

1047

SLIP JOINT PLIERS, PUSH BUTTON ALIGNMENT



L mm	A max mm	L1 mm	
180	30	29	010470180
240	36	35	010470240

1048

SLIP JOINT PLIERS, BOXED JOINTS

- slip-proof double layer PVC coated handles
- 9-position model



L mm	A max mm	L1 mm	
175	30	29	010480010
250	48	39	010480015

1458

EXTERNAL BUTT-ENDED CIRCLIP PLIERS

DIN 5417

Ø mm	L mm	
30÷100	200	014580001

1009L/A

EXTRA LONG NEEDLE KNURLED NOSE PLIERS, FOR SPECIAL OPERATIONS

• slip-proof double layer PVC coated handles

L mm	L1 mm	
283	80	010090008

1032

INTERNAL CIRCLIP PLIERS, STRAIGHT PATTERN

• PVC-coated handles
UNI 7914 DIN 5256

L mm	Ø mm	
140x0,9	8÷12	010320013
140x1,3	12÷25	010320014
180	19÷60	010320017

1034

INTERNAL CIRCLIP PLIERS, BENT PATTERN, 90°

• PVC-coated handles
UNI 7914 DIN 5256

L mm	Ø mm	
130x0,9	8÷12	010340013
130x1,3	12÷25	010340014
170	19÷60	010340017

1036

EXTERNAL CIRCLIP PLIERS, STRAIGHT PATTERN

• PVC-coated handles
UNI 7915 DIN 5254



L mm	Ø mm	
140x0,9	3÷10	010360013
140x1,3	10÷25	010360014
175	19÷60	010360017

1038

EXTERNAL CIRCLIP PLIERS, BENT PATTERN, 90°

• PVC-coated handles
UNI 7915 DIN 5254

L mm	Ø mm	
135x0,9	3÷10	010380013
135x1,3	10÷25	010380014
175	19÷60	010380017

1150

COMBINATION PLIERS BRIGHT CHROME-PLATED

• slip-proof double layer PVC coated handles
ISO 5746



L mm	L1 mm	mm	
160	37	1,6	011500006
180	41	1,8	011500008
200	45	2,0	011500010

1166

EXTRA LONG NEEDLE KNURLED NOSE PLIERS

- slip-proof double layer PVC coated handles

ISO 5745



L mm	L1 mm	mm	
160	56	1,6	011660006

1168

EXTRA LONG BENT NEEDLE KNURLED NOSE PLIERS

- slip-proof double layer PVC coated handles

ISO 5745



L mm	L1 mm	mm	
160	54	1,6	011680006

1081

SEMI-FLUSH CUTTING NIPPERS

- slip-proof double layer PVC coated handles
- for micro-mechanics and heavy-duty electronics



L mm	L1 mm	
125	16	010810130

1084

HEAVY DUTY DIAGONAL CUTTING NIPPERS

- slip-proof double layer PVC coated handles

UNI/ISO 5749

L mm	L1 mm	mm	
140	20	1,4	010840004
160	22	1,6	010840006
180	25	1,8	010840008

1136

CABLE CUTTER FOR STEEL CABLES

- Ø 5 mm for cable R ≤ 160 Kg/mm²
- Ø 4 mm for mild steel bolts

L mm		
165		011360001

334

PIPE CUTTER FOR COPPER AND LIGHT ALLOY PIPES



Ø mm - "	L mm	
3÷30 1/8"÷1"1/8	150	003340001

334R

spare cutter wheel for item 334
for copper and light alloy pipes

18 g	003340021

1128BCX

ELECTRICIAN SCISSORS, STRAIGHT STAINLESS STEEL BLADES

- with microteeth, cable cutting groove and crimping pliers for tube terminals
- tube terminal crimping: 1÷4 mm² with reduction unit
- in jointed plastic case

L mm	L1 mm	mm²	
155	55	50	011280080

1201

SCREWDRIVERS FOR SLOTTED HEAD SCREWS

ISO 2380

SxAxL mm	L1 mm	
0,4x2,5x50	146	012010003
0,5x3x75	171	012010009
0,8x4x125	221	012010033
1,0x5,5X125	234	012010042
1,2x6,5X100	220	012010048

1202

SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS

UNI/ISO 8764



PHxDxL mm	L1 mm	
0x3x60	156	012020003
1x4,5x80	189	012020009
2x6x100	220	012020018

1203/D7

1201 ◐ 0,5x3x75-0,8x4x100-1,0x5,5x100-1,2x6,5x150 mm
1202 ✪ PH0x3x60-PH1x4,5x80-PH2x6x100 mm

600 g	012030007

1201N

SCREWDRIVERS FOR SLOTTED HEAD SCREWS, EXTRA-SHORT SERIES

ISO 2380



SxAxL mm	L1 mm	
0,8x4x30	86,5	012010103
1,2x6,5x30	86,5	012010106

1202N

SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS, EXTRA-SHORT SERIES

UNI/ISO 8764



PHxDxL mm	L1 mm	
1x4,5x30	86,5	012020103
2x6x30	86,5	012020106

1207TX

SCREWDRIVERS FOR TORX® HEAD SCREWS, WITH HANDLES



✪	L mm	L1 mm	D mm	
T5	50	150	3	012070005
T6	60	156	4	012070006
T7	60	156	4	012070007
T8	60	156	4	012070008
T9	60	156	4	012070009
T10	80	189	5	012070010
T15	80	189	5	012070015
T20	100	209	5	012070020
T25	100	209	5	012070025
T27	100	220	6	012070027
T30	100	220	6	012070030
T40	130	262	7	012070040
T45	130	262	8	012070045

1207TX/D7

✪ T6-T8-T10-T15-T20-T25-T30

560 g | 012070207

1260

SCREWDRIVERS FOR SLOTTED HEAD SCREWS

UNI/ISO 8764

SxAxL mm	L1 mm	
0,4x2,5x50	150	012600003
0,5x3x75	175	012600009
0,8x4x100	208	012600030
1x5,5x125	233	012600040
1,2x6,5x150	269	012600051

1262

SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS

UNI/ISO 8764



PHxDxL mm	L1 mm	
0x3x60	200	012620003
1x4,5x80	188	012620009
2x6x100	219	012620018

1263/D8

1260 ◐ 0,4x2,5x50-0,5x3x75-0,8x4x100-1x5,5x125-1,2x6,5X150 mm
1262 ✪ PH0x3x60-PH1x4,5x80-PH2x6x100 mm

600 g | 012630008

1260N

SCREWDRIVERS FOR SLOTTED HEAD SCREWS, EXTRA-SHORT SERIES

ISO 2380



SxAxL mm	L1 mm	
0,8x4x30	87	012600103
1,2x6,5x30	87	012600106

1262N

SCREWDRIVERS FOR CROSS HEAD PHILLIPS® SCREWS, EXTRA-SHORT SERIES

UNI/ISO 8764



PHxDxL mm	L1 mm	
1x4,5x30	87	012620103
2x6x30	87	012620106

1266BP

BALL HEAD HEXAGON DRIVERS WITH HANDLES



mm	L mm	L1 mm	
2	100	200	012660020
2,5	100	200	012660025
3	125	225	012660030
4	125	233	012660040
5	120	239	012660050
6	140	259	012660060
8	160	287	012660080
10	160	287	012660100

1266BP/S8

○ 2-2,5-3-4-5-6-8-10 mm

960 g	012660308

1256/C36-2

BI-MATERIAL MICROSCREWDRIVER WITH 36 INTERCHANGEABLE 4-MM BITS AND MAGNETIC EXTENSION

4 mm

1256TX	T3-T4-T5-T6-T7-T8-T9-T10-T15	
1256RTX	T6 - T7 - T8 - T9 - T10	
1256LP	0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm	
1256PE	0,7 - 0,9 - 1,3 - 1,5 - 2 mm	
1256PH	PH000 - PH00 - PH0 - PH1	
1256PZ	PZ000 - PZ00 - PZ0 - PZ1	
1256/20		
1256/30		

mm	g	
130x60x35	200	012560100

1370

ENGINEER'S HAMMER, WOODEN SHAFT

UNI 7778 DIN 1041

g	A mm	L mm	L1 mm	g	
200	19	280	95	236	013700052
300	23	300	105	439	013700053
500	27	320	118	669	013700055

1370T

MECHANIC'S HAMMERS FIBRE SHAFT

g	A mm	L mm	L1 mm	g	
200	19	280	95	328	013700620
300	23	300	105	452	013700630
500	27	320	118	663	013700650

1390

SOFT FACE HAMMERS, WOODEN SHAFTS

UNI 7784

Ø mm	L mm	L1 mm	g	
22	260	70	134	013900022
28	280	85	230	013900028
35	310	95	365	013900035
45	320	107	698	013900045

1390R

spare faces for item 1390

Ø 22 mm	013900122
Ø 28 mm	013900128
Ø 35 mm	013900135
Ø 45 mm	013900145

1650

SLIDING GAUGE MADE FROM HARDENED STAINLESS STEEL IN LEATHER SHEATH

- Reading to 0.05 mm
- Spring locking

UNI EN ISO 13385-1DIN 862



CE

A max mm	L mm	
150	235	016500001

1651DGT

DIGITAL VERNIER MADE FROM HARDENED STAINLESS STEEL IN HARD PLASTIC CASE

- mm/inch conversion

UNI EN ISO 13385-1DIN 862CE



CE

A max mm	L mm	
150	225	016510111

1692

MEASURING TAPES

- shock-resistant bi-material ABS casings, steel tapes, precision class II

CE

	L m	S mm	
1692/2	2	16	016920052
1692/3	3	16	016920053
1692/5	5	19	016920055

1695XS

POCKET SPIRIT LEVEL WITH MAGNETIC V-SHAPED BASE

- made from profiled aluminium 2 unbreakable vials accuracy: 1mm/m
- ideal for pipes and round sections in general
- complete with clip

L mm	H mm	S mm	
70	48,5	20	016950250

1696

SPIRIT LEVELS MADE FROM ANODIZED PROFILE ALUMINIUM

- 2 unbreakable vials
- accuracy: 1 mm/m

L mm	H mm	S mm	
200	50	19	016960002

1696B

SPIRIT LEVELS WITH MAGNETIC BASES MADE FROM ANODIZED PROFILED ALUMINIUM

- 2 unbreakable vials
- accuracy: 1 mm/m

L mm	H mm	S mm	
200	49	22	016960202

1737NX

BRAKE SHOE CLEANING BRUSH PLASTIC HANDLE STEEL WIRES

L mm		
270		017370010

1762

EVOLVING PUNCH PLIERS

Ø mm	L mm	
2-2,5-3-3,5-4-4,5	210	017620001

1767PMC

MAGNETIC TOOL HOLDER, ROUND

Ø mm		
150		017670020

1719BMA...Q

SECOND-CUT SQUARE FILES, WITH HANDLES

	L mm	L" mm	
1719BMA6/Q	150	6	017190021
1719BMA8/Q	200	8	017190052

1719BMA...T

SECOND-CUT TRIANGULAR FILES, WITH HANDLES

	L mm	L" mm	
1719BMA6/T	150	6	017190023
1719BMA8/T	200	8	017190054

1719BMA...P

SECOND-CUT FLAT FILES, WITH HANDLES

	L mm	L" mm	
1719BMA6/P	150	6	017190025
1719BMA8/P	200	8	017190056

1719BMA...M

SECOND-CUT HALF-ROUND FILES, WITH HANDLES

	L mm	L" mm	
1719BMA6/M	150	6	017190027
1719BMA8/M	200	8	017190058

1719BMA...R

SECOND-CUT ROUND FILES, WITH HANDLES

	L mm	L'' mm	
1719BMA6/R	150	6	017190029
1719BMA8/R	200	8	017190060

1719BMA6/S5

L 150 mm - ■ ▲ ▮ ◗ ●

560 g | 017190030

1719BMA8/S5

L 200 mm - ■ ▲ ▮ ◗ ●

870 g | 017190070

1771

UTILITY KNIFE, 18 MM

- supplied with 3 blades

L mm	A mm	
170	18	017710000

1772R

UTILITY KNIFE WITH RETRACTABLE TRAPEZOIDAL BLADE

- supplied with 5 blades
- interior blade storage
- belt clip
- sturdy aluminium frame

L mm	A mm	
125	18	017720006

1726

HACKSAW FRAME, BLADE ATTACHMENT SYSTEM IN THE HANDLE



L mm	L1 mm	
440	300	017260001

1728BM

blades for hacksaw frames - L 300 mm

18 g | 017280010

1599F

PARALLEL BENCH VICES

- with hardened top and slides



L1 mm	BxH mm	Ø mm	A max mm	
100	92x46	11	125	015990100
125	108x54	13	150	015990125
150	125x62	13	200	015990150

1716A

ANGLED BIT FOR GENERAL USE



L mm	L1 mm	■ mm	
240	125	6	017160040

1716U

HOOK BIT FOR GENERAL USE



L mm	L1 mm	Ø mm	
195	80	6	017160025

1716P

PACKING SCRAPER



L mm	L1 mm	⬢ mm	
250	125	6	017160020

1716Q

SQUARE BIT REAMER



L mm	L1 mm	Ø mm	
215	100	6	017160010

1716R

ROUND BIT REAMER



L mm	L1 mm	Ø mm	
215	100	6	017160001

1838FLASH

RECHARGEABLE, ULTRACOMPACT SPOTLIGHT

- **Designed to offer the best possible solution for each use**
- IP65 - without external power supply-
- Dual brightness: 720 / 360 lumens
- Lithium polymer battery 7.4 V 4000 mAh
- Life 4-7 hours (depending on brightness)
- 12V cigarette lighter or 230V plug socket charger, it also allows operation with a completely flat battery
- 12V rubber bayonet connector
- Recharge/on-off cable, 5 m long
- White light, 4500 °K

CE

1838FLASH	IP65	018380300

1838COB

COMPACT RECHARGEABLE INSPECTION LAMP WITH ULTRA-BRIGHTNESS LEDS

- **Lithium polymer battery**
- Compact body made of antislip rubber
- Swinging hook
- Magnetic base can be rotated 180 degrees
- With charger 100-240Vac / 50-60Hz
- 100/200 lumens; SPOT 75 lumens
- Operating range: 6h / 3h; SPOT 4h

CE

1838COB	IP65	018380010

1838/11LED

RECHARGEABLE INSPECTION LAMP WITH ULTRA-HIGH BRIGHTNESS LEDS

- **Lithium polymer battery**
- Compact body made of antislip rubber
- Easy-to-replace front glass
- Swinging hook
- With charging station, 110-230Vac
- 320 lumens
- With multidirectional head LED

CE

1838/11LED	IP65	018380111

1895

ULTRASONIC CLEANING TANK

- With special degas function
- Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (carburettors, valves etc.)
- Digital display for temperature and cleaning time selection
- Two cleaning modes: "soft" and "normal"
- For normal cleaning, just use water at a temperature of 50/60 °C
- For more accurate cleaning, add non-foaming detergent solutions specific for ultrasonic tanks
- Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency

Tank capacity	6 litri	13 litri	27 litri
Drain tap	✔	✔	✔
Power	150 Watt	300 Watt	500 Watt
Heating power	300 Watt	400 Watt	500 Watt
Temperature range	0÷80°C	0÷80°C	0÷80°C
Cleaning time range	0-99 min	0-99 min	0-99 min
Frequency	40 kHz	40 kHz	40 kHz
Power supply	220/230V	220/230V	220/230V
Dimensions	330x180 x310 mm	350x325 x320 mm	530x330 x380 mm
Tank dimensions	300x155 x150 mm	325x235 x145 mm	500x300 x200 mm

CE

	l	kg	
1895 6	6	8,1	018950060
1895 13	13	12,5	018950130
1895 27	27	13,5	018950270

2250-0

HEAVY DUTY SWIVEL CREEPER SEAT WITH TRAY

- Round swivel seat
- Height can be adjusted through a gas piston mechanism (410-530 mm)
- 2 tote/tool trays, one being vertically adjustable
- 5 pivoting castors

H mm	kg	
410 ÷ 530	6	022500011

Oliviero Troia, Fernando Gaviria

CONTAINERS AND ASSORTMENTS

2028/VV

TOOL CASE, MADE OF POLYPROPYLENE, EMPTY

- 2 tool panels
- Interior bottom with removable partitions
- Double combination lock

mm	kg	
470x410X185	4,9	020280010

2029/VV

TOOL CASE, MADE OF THICK POLYPROPYLENE, ALUMINIUM EDGED, EMPTY

- 2 interior tool panels

mm	kg	
490x380x230	6,1	020290000

C13

TOOL TRUNK WITH CASTORS, MADE OF STURDY POLYPROPYLENE

mm	kg	
870x410x350	7,2	021130000

CP17

TOOL BOX, MADE OF STAINLESS STEEL AND PLASTIC, REMOVABLE TOTE-TRAY

mm	kg	
500x200x220	2,5	021170500

C20L

FIVE-SECTION CANTILEVER TOOL BOX, MADE FROM SHEET METAL

mm	kg	
550x200x210	5,4	021200002

C41H

TWO-MODULE TOOL TROLLEY

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
- 2 detachable modules:
  1 upper tool box,
  1 module with 2 drawers 95 mm in height,
  1 pull-out case made of plastic, 66 mm high,
  and 1 drawer 295 mm in height.
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
- Side centralized lock for closing drawers of lower module.
- Drawers with ball bearing slides and double closing hook.
- Telescopic aluminium handle.
- Small tool holder built into upper tool box.
- Lower drawer with double ballbearing slide.

	RAL	kg	
C41H-O	2011	21	041000002
C41H-N	9005	21	041000005
C41H-B	5002	21	041000006
C41H-R	3000	21	041000008
C41H-G	7016	21	041000010
C41H-Y	1023	21	041000012
C41H-W	9016	21	041000021
C41H-V	6016	21	041000024



C41S

TWO-MODULE TOOL TROLLEY

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
- 2 detachable modules:
  1 upper tool box,
  1 module with 2 drawers, 95 mm
  and 295 mm high respectively.
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
- Side centralized lock for closing drawers of lower module.
- Drawers with ball bearing slides and double closing hook.
- Telescopic aluminium handle.
- Small tool holder built into upper tool box.
- Lower drawer with double ballbearing slide.

kg	
16	041000001



C24S

MOBILE ROLLER CAB

- Drawers (588x367 mm) with ball bearing slides.
- Drawer bases protected by foamed rubber mats.
- Four castors 125 mm in Ø:
  2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST
- Integrated side bottle holer.
- Paper roll holder item 2400S-R/PC can also be included.

	h	max
C24S/5	2	70 mm	25 kg
	2	140 mm	30 kg
	1	280 mm	35 kg
C24S/6	4	70 mm	25 kg
	1	140 mm	30 kg
	1	280 mm	35 kg
C24S/7	5	70 mm	25 kg
	1	140 mm	30 kg
	1	210 mm	30 kg
C24S/8	6	70 mm	25 kg
	2	140 mm	30 kg

	Ral 2011	Ral 7016	Ral 3000	kg
C24S/5	024002051	024002052	024002053	52
C24S/6	024002061	024002062	024002063	55
C24S/7	024002071	024002072	024002073	58
C24S/8	024002081	024002082	024002083	61



C24SL

MOBILE ROLLER CAB WITH SEVEN DRAWERS AND SIDE TOPS

- Seven drawers (588x367 mm) with ball bearing slides:
  5 drawers, 70 mm high
  1 drawer, 140 mm high
  1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors 125 mm in Ø:
  2 fixed and 2 steering (two with brakes).
- Front centralized safety lock.
- Static load capacity: 1.100 kg.
- Multi-ply wood worktop with holes for a vice (1599F/100, to be ordered separately).
- Side compartment with vertically adjustable top.
- Integrated paper roll holder.
- Double rear bottle holder.

	kg	
C24SL-O	80	024002101
C24SL-G	80	024002102
C24SL-R	80	024002103



h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg



C57SA

MASTERCARGO WORKBENCH

- Model with tool storage board (C57P) and one drawer cabinet.
- Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high, 1 180 mm and 1 280 mm high, with ball bearing slides.
- Can accommodate thermoformed trays.
- Centralized lock.
- Panel tool holder with holes on back for wall mounting.
- Vertically operated aluminium shutter, with lock.
- Three removable perforated panels for supporting tools.
- Multi-ply worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.

C57S/A-O

C57S/A-G

C57S/A-R

	kg	
C57S/A-O	205	057001005
C57S/A-G	205	057001205
C57S/A-R	205	057001405

h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



C57SB

MASTERCARGO WORKBENCH

- Model with tool storage board (C57P) and two drawer cabinets.
- Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high, 1 180 mm and 1 280 mm high, with ball bearing slides.
- Can accommodate thermoformed trays.
- Centralized lock.
- Panel tool holder with holes on back for wall mounting.
- Vertically operated aluminium shutter, with lock.
- Three removable perforated panels for supporting tools.
- Multi-ply worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.

C57S/B-O

C57S/B-G

C57S/B-R

	kg	
C57S/B-O	243	057001006
C57S/B-G	243	057001206
C57S/B-R	243	057001406

h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



C57SP

PANEL TOOL HOLDER

- Panel tool holder with two holes on back for wall mounting.
- Aluminium shutter, vertically adjustable, with lock.
- Three removable perforated panels for tool holding.

C57S/A-O

C57SP-G

C57SP-R

	kg	
C57SP-O	46	057001020
C57SP-G	46	057001220
C57SP-R	46	057001420

5980U/BIKE

ASSORTMENT OF 90 TOOLS FOR BICYCLE REPAIRS

Assortment recommended in combination with CP17 - C20L

Quantity/Description	Beta N.
9 combination wrenches 6-7-8-10-11-13-14-17-19 mm	42
9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BPC/SC9
8 offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8 drivers for Torx® head screws, with handles ✪ T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1 adjustable wrenches with scales chrome-plated 200 mm	111G
1 pipe cutter for copper and light alloy pipes	334
1 click-type torque wrenches with reversible ratchets 2÷10 Nm	605E
13 ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
8 ○ 2,5-3-4-5-6-7-8-10 mm	900ME/SB8
8 ✪ T9-T10-T15-T20-T25-T27-T30-T40	900TX/SB8
1 1/4" drive extension bar	900/21
1 1/4" drive universal joint	900/25
1 1/4" reversible ratchet ⊕	900/55

Quantity/Description	Beta N.
1 Slip joint pliers boxed joints 250 mm	1048
1 diagonal cutting nippers ⁚ 160 mm	1082
1 electrician's scissors, straight blades 145 mm	1128BM
1 half-round needle nose pliers ═ 180 mm	1150
1 screwdrivers for slotted head screws ◐ 160 mm	1166
7 3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203/D7
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 sliding gauge 150 mm	1650
1 measuring tape 3 m	1692
1 second cut files 200 mm	1719BMA8/P
1 second cut files 200 mm	1719BMA8/M
1 second cut files 200 mm	1719BMA8/R
1 hacksaw frame, aluminium handle 300 mm	1725
1 snap - off blade utility knife 18 mm	1771

059800040

WORKSHOP EQUIPMENT C55

The modular workshop combination that allows you to create a modern work environment customized to fit your space and storage needs.
Choose from a wide range of solutions sharing high quality standards, designed to make the most of your time by optimizing work.



QUALITY

Beta's best "Made in Italy" quality to furnish your workshop

ORGANIZATION

A rationally organized workbench system as synonymous with optimized work

MODULARITY

Modular workshop system, customized to fit your space and storage needs

DESIGN

Refined finish to make your workplace a neat, aesthetically captivating environment

IMAGINE AND CREATE...

MADE IN ITALY

Configure your workshop in 3D online **WWW.RSC55.COM**

Beta
Beta
RSC 55

Beta

3D
view

C55

COMPREHENSIVE WORKSHOP EQUIPMENT COMBINATION

Comprehensive combination comprising:

- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Workbench with sockets (C55PRO BO/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS-O)



kg	
801	055000000

C55AB

WORKSHOP EQUIPMENT COMBINATION

Combination comprising:
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)



kg	
407	055000020

C55PB/3

WORKSHOP EQUIPMENT COMBINATION

Combination comprising:
- Workbench (C55BO/2)
- Mobile roller cab module with 8 drawers (C55C8)
- Fixed module with 2 storage drawers (C55M2)
- Wall tool system with shutter (C55PS-0)



kg	
344	055000035

Beta
Collection
Beta
Beta
Beta
Beta
Beta

Beta
Beta

8 014230 926735

099804381

Beta

www.beta-tools.com

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.

Beta Utensili S.p.A. | via Volta, 18 |
20845 Sovico (MB) | tel +39 039 20771 |